



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/700,113	11/03/2003	Samch Mesallum	102078-0002C1	5128

24267 7590 01/18/2007  
CESARI AND MCKENNA, LLP  
88 BLACK FALCON AVENUE  
BOSTON, MA 02210

EXAMINER

JAWORSKI, FRANCIS J

ART UNIT

PAPER NUMBER

3768

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	01/18/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/700,113	<b>Applicant(s)</b> MESALLUM, SAMEH	
	<b>Examiner</b> Jaworski Francis J.	<b>Art Unit</b> 3768	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 July 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1 - 42 is/are pending in the application.
- 4a) Of the above claim(s) 11 - 17,29 - 34 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,4,18-20,22 and 35-42 is/are rejected.
- 7) ☒ Claim(s) 3,5-10,21 and 23-28 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 November 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date <u>1/25/05,7/1/05</u> . | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Double Patenting*

Claims 18 – 22 and 35 - 42 of this application conflict with respective claims 1 – 2, 4 – 5 and 20 – 27 of Application No.11/050,284. 37 CFR 1.78(b) provides that when two or more applications filed by the same applicant contain conflicting claims, elimination of such claims from all but one application may be required in the absence of good and sufficient reason for their retention during pendency in more than one application. Applicant is required to either cancel the conflicting claims from all but one application or maintain a clear line of demarcation between the applications. See MPEP § 822.

#### Statutory

A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer cannot overcome a double patenting rejection based upon 35 U.S.C. 101.

Claims 18 – 22 are provisionally rejected under 35 U.S.C. 101 as claiming the same invention as that of claims 1 – 2, 4 - 5 of copending Application No. 11/050,284.

This is a provisional double patenting rejection since the conflicting claims have not in fact been patented.

If the intended use in the preamble be accorded no structural weight then the test for infringement appears to be met, namely that one cannot infringe any of this application's cited claims without infringing the corresponding claims in the other application.

### Non-Statutory

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 18 – 22, 35 – 42 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over respective claims 1-2, 4-5 and 20 - 27 of copending Application No. 11/050,284. Although the conflicting claims are not identical, they are not patentably distinct from each other because in the case of the first claim set if the transgastric limitation be accorded patentable weight then claims here are obvious because for comparison purposes of the structures claimed, the issue would be one essentially of digestive tract length differences with respect to a population of children and adults where there is significant overlap, and in the case of

the latter claim set while the applicant's claiming of conductors here creates a hairs-breadth distinction of scope (because of the rarity of alternative wireless ultrasound catheter tip echo information forwarding), for practical purposes the claims track the respective ones in the corresponding application with minor differences.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1 – 2, 4, 18-20, 22, 35-37, 39, 41-42 are rejected under 35 U.S.C. 102(b) as being anticipated by Dalton (US5315992).

If applicant's intended use be accorded no patentable weight, the claimed structure is directed to a tubular catheter or probe device having a sealing portion above and below a device side opening and a fluid inflation conduit for the sealing means, and a suction conduit opening adjacent (meaning 'near') to the side opening. The rejection argument then poses that a conventional endobronchial tube has such claimed structure, see Figs. 2 and 3 seals and apertures which either suction or are capable of suction disclosed therein; see also multiple port discussion col. 5 top.

Claims 35 – 42 are rejected under 35 U.S.C. 102(b) as being anticipated by Edwards et al (US5599294) since for this isolation/sealing catheter with side port and


Art Unit: 3768

penetrating sheath and needle, the teaching is made to adapt for esophageal operation, see col. 2 lines 17 – 30.

***Allowable Subject Matter***

Claims 3, 5 – 10, 21 and 23 – 28 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication should be directed to Jaworski Francis J. at telephone number 571-272-4738.

  
Francis J. Jaworski  
Primary Examiner

FJJ:fjj

10222006